



Bar equipment

Suitable for:

SIRMAN



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions and/or amendments.


Suitable universal spare parts may not be included






PLATE CORT-ELIO-PD-TOP

CORT - ELIO



PD - TOP





SIRMAN




Position	LF code no.	Description
2	3755021	HEATING ELEMENT 875W 240V TOP
2	3755023	HEATING ELEMENT 700W 240V TOP
5	3250001	LEFTHAND SPRING ø 20x42 mm
5	3250002	RIGHTHAND SPRING ø 20x42 mm
5	3250028	RIGHTHAND SPRING ø 20x40 mm
5	3250029	LEFTHAND SPRING ø 20x40 mm
11	3755022	HEATING ELEMENT 1150W 240V BOTTOM
11	3755024	HEATING ELEMENT 850W 240V BOTTOM
13	3221960	WHITE INDICATOR LAMP 230V
14	3241331	BLACK KNOB ø 45 mm
16	3444514	SINGLE-PHASE THERMOSTAT 50-300°C
17	3446100	MECHANICAL TIMER 15 MINUTES
19	3755023	HEATING ELEMENT 700W 240V TOP
27	3250029	LEFTHAND SPRING ø 20x40 mm
28	3250028	RIGHTHAND SPRING ø 20x40 mm
32	3444514	SINGLE-PHASE THERMOSTAT 50-300°C
33	3755024	HEATING ELEMENT 850W 240V BOTTOM




TOASTERS 12Q-6Q-4Q-ROLLER

4Q - 6Q - 12Q



ROLLER



SR02



SIRMAN




Position	LF code no.	Description
5	3355299	QUARTZ TUBE ø 10x390 mm
5	3755327	QUARTZ PIPE ø 12x270 mm
6	3755324	WIRE HEATING ELEMENT 600W 115V
6	3755326	WIRE HEATING ELEMENT 400W 115V
9	3317051	GRILL PLIER
11	3221275	WHITE PILOT LIGHT 250V
12	3241331	BLACK KNOB ø 45 mm
14	3446137	TIMER 15 MINUTES M2
15	3755325	QUARTZ PIPE ø 12x255 mm
16	3755328	WIRE HEATING ELEMENT 380W 230V
16	3755500	WIRE HEATING ELEMENT 400W 115V
18	3221276	ORANGE INDICATOR LAMP 240V
21	3057158	SELECTOR SWITCH 0-4 POSITIONS
26	3240340	CROUZET MOTOR 24V 3000RPM




FRAPPÉ BLENDER SIRIO-BLENDER FR

FR



SIRIO





SIRMAN




Position	LF code no.	Description
1	1319158	BLACK SINGLE-POLE SWITCH 10A 250V
6	1186494	BOTTOM GASKET
7	1381014	JUG SUPPORTING FORK
9	1240012	MICROSWITCH 16A 250V
10	1381015	JUG HOLDER
11	1080010	PLASTIC JUG
11	1080050	STAINLESS STEEL JUG
22	1381016	STEEL WHISK
24	1381018	ALUMINIUM PUSH-BUTTON
28	1186414	O-RING 0119 EPDM
29	1240011	MICROSWITCH MAGNET ø 8x4 mm
31	1240013	MAGNETIC MICROSWITCH E5222R
35	1718003	4 BLADES KNIFE
38	1186495	JUG GASKET ø 75x60x3 mm
42	1381020	NYLON DISK



CITRUS SQUEEZER APOLLO

APOLLO





SIRMAN



Position	LF code no.	Description
1	3381001	PLASTIC CONE
10	1240014	MICROSWITCH 16A 250V
13	1186496	SHAFT GASKET
17	1319158	BLACK SINGLE-POLE SWITCH 10A 250V



Suitable for:


SIRMAN



Suitable for:

Bearings

3063017 BEARING 6203 2RS
external $\varnothing$ 40 mm -internal $\varnothing$ 17 mm-thickness 12 mm



SIRMAN LF1150002

SIRMAN LF1150003

SIRMAN 19320203

1063906 BEARING 6203 2Z
external $\varnothing$ 40 mm-internal $\varnothing$ 17 mm-thickness 12 mm



SIRMAN MF0113

SIRMAN 19320204

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



SIRMAN 19410307

Citrus squeezers and accessories

1381020 NYLON DISK



SIRMAN LF2061004

1381016 STEEL WHISK



SIRMAN IB2200100

Cones for citrus squeezers


3381001 PLASTIC CONE



SIRMAN IB4000720

Electronic printed-circuit boards

5021394 BOARD WITH TRAP FILTER 110x57 mm
for SQUEEZER with lever
for Juice extractor (SIRMAN) APOLLO




SIRMAN IB5940701

SIRMAN IB5940702

Energy regulators

3350026 ENERGY ADJUSTER


contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Sausage grill (CF CENEDESE)
for Toaster (CF CENEDESE)
for Toaster electric (DOSILET) GG4000 - TT6000



SIRMAN ATHD073010


Gaskets and seals

1186494 BOTTOM GASKET



SIRMAN IB4100100

1186495 JUG GASKET $\varnothing$ 75x60x3 mm



SIRMAN LF2061013

1186414 O-RING 0119 EPDM



SIRMAN LF1261001

3186601 O-RING 04200 EPDM



SIRMAN IB4104040

1186496 SHAFT GASKET



SIRMAN IB4180700

Gears

5030915 MALE GEAR 6 TEETH

fixing thread MA8 - external $\varnothing$ 36 mm
for Blender (SIRMAN) ORIONE



SIRMAN IB4100900



Suitable for:

SIRMAN



Suitable for:

Heating elements

3755022 HEATING ELEMENT 1150W 240V BOTTOM

length 190 mm - width 310 mm
for Panini grill (SIRMAN) CORT - ELIO



SIRMAN IGS407C

3755023 HEATING ELEMENT 700W 240V TOP


length 180 mm - width 175 mm
for Panini grill (SIRMAN) CORT - ELIO



SIRMAN IGS402P

3755024 HEATING ELEMENT 850W 240V BOTTOM


length 180 mm - width 175 mm
with cables
for Panini grill (SIRMAN) CORT - ELIO



SIRMAN IGS407P

3755021 HEATING ELEMENT 875W 240V TOP

length 190 mm - width 310 mm
for Panini grill (SIRMAN) CORT - ELIO



SIRMAN IGS402C

3755325 QUARTZ PIPE $\varnothing$ 12x255 mm



SIRMAN IB3506900

3755327 QUARTZ PIPE $\varnothing$ 12x270 mm



SIRMAN IGS660T04

3355299 QUARTZ TUBE $\varnothing$ 10x390 mm for Toaster electric (ARISTARCO)



SIRMAN IGS660T06

3455376 TERMINAL FOR HEATING ELEMENT external $\varnothing$ 13 mm - for screw $\varnothing$ 4 mm overall length 28 mm



SIRMAN IB5906800

3755328 WIRE HEATING ELEMENT 380W 230V length 180 mm



SIRMAN IB5206910

3755325 QUARTZ PIPE $\varnothing$ 12x255 mm



SIRMAN IB3506900



SIRMAN



Suitable for:

3755326 WIRE HEATING ELEMENT 400W 115V
length 280 mm



Suitable for:

3755327 QUARTZ PIPE $\varnothing$ 12x270 mm



SIRMAN IGS402T04

3755500 WIRE HEATING ELEMENT 400W 115V
length 210 mm



SIRMAN IGS660T04

3755325 QUARTZ PIPE $\varnothing$ 12x255 mm



SIRMAN IB5206900

3755324 WIRE HEATING ELEMENT 600W 115V
length 390 mm



SIRMAN IB3506900

3355299 QUARTZ TUBE $\varnothing$ 10x390 mm
for Toaster electric (ARISTARCO)



SIRMAN IGS402T06/02

Ironmongery (screws,nuts,washers)

1381018 ALUMINIUM PUSH-BUTTON



SIRMAN IB2100110

1186192 WASHER M5x10 mm UNI 6592



SIRMAN IB77R05

3528088 S/S SCREW T.E. M8x20 UNI 5739 DIN 24017



SIRMAN 40000000-POS.23-2



Suitable for:

SIRMAN



Suitable for:


Jugs for blenders

5034990 COMPLETE BLENDER JUG
for Blender (SIRMAN) DRAGONE



SIRMAN IB9865520

1381015 JUG HOLDER



SIRMAN IB4000130

SIRMAN IB9866020

5023214 JUG LEXAN ORIONE



SIRMAN IB4050900

5015913 JUG LEXAN 1.5 L DRAGONE



SIRMAN IB4050800

1381014 JUG SUPPORTING FORK



SIRMAN IB4000131

1080010 PLASTIC JUG
h 150 mm



SIRMAN IB4050100

1080050 STAINLESS STEEL JUG
height 150 mm
max. external ø 105 mm



SIRMAN 65010100

Knives

5032225 BLADE GROUP WITH HUB
for BLENDER ORIONE ALLUMINIO



SIRMAN IB9865335.05


1718003 4 BLADES KNIFE



SIRMAN LF2061024

Knobs

3241331 BLACK KNOB $\varnothing$ 45 mm
square hole 5x5 mm



SIRMAN IGS336


Lamps

3221276 ORANGE INDICATOR LAMP 240V
 $\varnothing$ head 12 mm - $\varnothing$ hole 10 mm - 120°C



SIRMAN IB5846400

3221960 WHITE INDICATOR LAMP 230V
mounting hole 30x22 mm - 125°C



SIRMAN IGS422

3221275 WHITE PILOT LIGHT 250V
 $\varnothing$ head 13 mm - $\varnothing$ hole 10 mm - 120°C



SIRMAN IGS422T12


Microswitches

1240013 MAGNETIC MICROSWITCH E5222R
1A 250VAC 50W - double contact NO-NO
head 40x8x13 mm - with cable length 1170 mm



SIRMAN LF1010005

3240407 MECHANICAL MICROSWITCH KIT 16A 250V
3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheels - lever 27 mm with wheels



SIRMAN MSC04N262

1240011 MICROSWITCH MAGNET $\varnothing$ 8x4 mm



SIRMAN LF1010004

5053137 MICROSWITCH 12A 250V
3 contacts
for SQUEEZER APOLLO CE-APOLLO LEVA CE



SIRMAN IB5820700




Suitable for:

SIRMAN



1240012 MICROSWITCH 16A 250V



SIRMAN IB5820100

Suitable for:


3240123 MICROSWITCH 16A 250V
for Granita machine (UGOLINI) GIANTGL - MTGL
MTMINI
for Ice crusher (SANTOS) 9
for Mixer (ROBOT COUPE) MP350 - MP450 - MP550
MP550A - MP600 - MP600A



SIRMAN IB5820800

Motors

3240340 CROUZET MOTOR 24V 3000RPM
D-shaft 7x8 mm - height 26 mm



SIRMAN IB5036810

Pins


5023222 SHAFT FOR KNIVES ORIONE



SIRMAN IB2000905

Pliers for sandwiches

3317051 GRILL PLIER
length 100 mm
height 180 mm
for Toaster



SIRMAN

Rotary switches

3057158 SELECTOR SWITCH 0-4 POSITIONS

contact capacity 16A 600V - max 60/75°C
square shaft 5x5 mm



SIRMAN IB5806820

Springs

3250029 LEFTHAND SPRING ø 20x40 mm

for PLATE PS24-36-PD50
for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
for SIRMAN ELECTRIC PLATE PD ECO since 99
for SIRMAN ELECTRIC PLATE ELIO ECO since 99
for SIRMAN ELECTRIC PLATE PD POWER since 99



SIRMAN IGS543/99

3250001 LEFTHAND SPRING ø 20x42 mm

for ELECTRIC PLATE all models
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



SIRMAN IGS543

3250028 RIGHTHAND SPRING ø 20x40 mm

for PLATE PS24-36-PD50
for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
for SIRMAN ELECTRIC PLATE PD ECO since 99
for SIRMAN ELECTRIC PLATE ELIO ECO since 99
for SIRMAN ELECTRIC PLATE PD POWER since 99



SIRMAN IGS540/99

3250002 RIGHTHAND SPRING ø 20x42 mm

for ELECTRIC PLATE all models
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



SIRMAN IGS540

5011822 SPRING LEFT ø 20x40 mm

for SIRMAN ELECTRICAL PLATE CORT L/R/X since 1999
for SIRMAN ELECTRICAL PLATE CORT ECO since 1999



SIRMAN IGS543C/99

5011821 SPRING RIGHT ø 20x40 mm

for SIRMAN ELECTRICAL PLATE CORT L/R/X since 1999
for SIRMAN ELECTRICAL PLATE CORT ECO since 1999



SIRMAN IGS540C/99



Suitable for:

SIRMAN



Suitable for:

Supports

- 5034506 MOTOR SUPPORT RUBBERPIECES**
for Blender (SIRMAN) ORIONEINOX



SIRMAN IB4100910

Switches

- 1319158 BLACK SINGLE-POLE SWITCH 10A 250V**
silk-screen printing 0 - I
temperature max 120°C
mounting hole 13x20 mm



SIRMAN IB5800100

Thermostats


- 3444514 SINGLE-PHASE THERMOSTAT 50-300°C**
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 660 mm - 16A 240V
bulb $\varnothing$ 4x100 mm



SIRMAN IGS460

Timers

- 3446100 MECHANICAL TIMER 15 MINUTES**
manually set mechanical timer
manually set cycle 15 minutes
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



SIRMAN IGS450

- 3446137 TIMER 15 MINUTES M2**
mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for HORIZONTAL TOASTER all models



SIRMAN IGS440



Suitable for:


SIRMAN



Suitable for:

3446151 TIMER 5 MINUTES C20

manually set mechanical timer
manually set cycle 5 minutes
2 poles with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin ø 6x4.6 mm
for ARISTARCO TOASTER TA2-3
for SANMARCO SM90-SM95
for HUDSON MUSSEL CLEANER PULC003BN-PULC003BS
PULC008
for SIRMAN POTATO PELER PP4EXPOCE-PP8EXPOCE
PP15EXPOCE



SIRMAN RG04342

Tools

3394272 PLATES BRUSH



SIRMAN IGS126

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA

via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com

FRANCE



EPGC Sas

13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH

Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro

Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.

Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tlf. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.

A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk

RUSSIA



OOO LF

ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru

CHINA



LF China

Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com