



SPELOR ELECTRICAL APPLIANCES (ZHEJIANG) CO.,LTD.



No.528, Changxi Road,
Linhai city,Zhejiang province



+86-576-86229688



+86-576-85229688



spelor@spelor.com



317000



Website:www.spelor.com



SPELOR ELECTRICAL APPLIANCES (ZHEJIANG) CO.,LTD.

**GOOD QUALITY,
CUSTOMER SATISFIED,
JUST TO BE ONE
BRAND**

Company INTRODUCTION

SPELOR ELECTRICAL APPLIANCES (ZHEJIANG) CO.,LTD. (Earlier known as Zhejiang Spel^{or} Refrigeration Equipment Co.,LTD) is a professional in refrigeration ,west kitchen food and buffet , also the design, manufacturing ,sales ,service as one of the manufacturing enterprise, Enterprise has more than thirty thousand square meters of modern standard manufacturer area.

Our company "Spel^{or} " brand mainly include ice cream machine ,juice dispenser,fried ice machine ,yogurt machine , refrigeration cabinet , slush machine , ice crusher , flake ice machine etc., Western food combination furnace series , griddle grill series , fryer series, Insulation products series , Barbecue product series . it uses for Snack equipment , fast food, bar , supermarket , non-profit institutions , and Army Related diet equipment, also we have the Commercial refrigerating equipment of Annatto salad bar, Combined-type buffet , Process the bar and Luxury type yacht.



The company has strong technology research and development strength, Enterprise spending huge sums of money on introduction of Japan's advanced equipment, now we have the existing world class processing equipments of CNC punching, sheet shears and bending machine. Have a mechanical, appliances, and gas of high quality engineering and technical team, which have unlimited potential, and a superior quality inspection equipment and instruments. Products are sold to five continents in the world of hundreds of countries and regions, The company aims to take users as the guidance, take Scientific as support, take quality to seek survive, Take the good faith for development.

Company accept non-standard customized products, OEM and ODM Service Items, We expect to cooperate with more customers common development, with your support, we will do better incentives and we never stop the creation and innovation. We will with good quality, perfect after-sale service to feedback the masses of customers!

JUICEMACHINE

Spelor
refrigeration equipment



PL-115A/AJ



PL-230A/AJ



PL-345A/AJ

Model	PL-115A/AJ	PL-230A/AJ	PL-345A/AJ
Capacity	15L	2x15L	3x15L
Power	200W	250W	530W
Power Supply	220V/50Hz	220V/50Hz	220V/50Hz
Net Weight	15kg	27kg	38kg
Dimension	201x450x665mm	410x450x665mm	610x450x665mm



PL-118AJ



PL-130A



PL-130AJ

Model	PL-118AJ	PL-130A	PL-130AJ
Capacity	16L	30L	30L
Power	250W	Spraying-300w/Stirring-255w	Spraying-300w/Stirring-255w
Power Supply	220V/50Hz	220V/50HZ, 110V/60HZ	220V/50HZ, 110V/60HZ
Net Weight	23kg	24kg	24kg
Dimension	390x350x790mm	450x450x665	450x450x665

ICE CREAM MACHINE(Soft)



BQL-118BT



Technical Parameters

Type	Desktop
Capacity	15L/H
Power	1400W
Power Supply	220V/50HZ
Net Weight	70kg
Dimension	520x605x735mm

BQL-118T



Technical Parameters

Type	Desktop
Capacity	15L/H
Power	1400W
Power Supply	220V/50HZ
Net Weight	65kg
Dimension	520x600x680mm



ICE CREAM MACHINE(Soft)

BQL-818BT



Technical Parameters

Type	Desktop
Capacity	18L/H
Power	1800W
Power Supply	220V/50HZ
Net Weight	90kg
Dimension	520x695x735mm

BQL-818T



Technical Parameters

Type	Desktop
Capacity	18L/H
Power	1800W
Power Supply	220V/50HZ
Net Weight	90kg
Dimension	520x695x680mm



ICE CREAM MACHINE(Soft)

BQL-825T



Technical Parameters

Type	Desktop
Capacity	25L/H
Power	2000W
Power Supply	220/50HZ
Net Weight	100kg
Dimension	540x710x780mm

BQL-9200T



Technical Parameters

Capacity	10-15L/H
Power	1000W
Power Supply	220V/50Hz
Net Weight	45KG
Dimension	213 × 555 × 720
Refrigerant	R290/R404a



ICE CREAM MACHINE(Soft Serve)



BQL-818



BQL-825D



BQL-825E



BQL-825A

Product Description:

- 1. With aerated function, and there are pre-cooling function, can not taste raw materials;
- 2. Individual pre-cooling system that allows quick access to pre-cooled raw state;
- 3. The number of ice cream daily output can be displayed;

Technical Parameters

Model	BQL-818	BQL-825D	BQL-825E	BQL-825A
Capacity	18L/H	25L/H	25L/H	25L/H
Power	1800W	2000W	2000W	2000W
Power Supply	220V/50HZ	220V/50HZ	220V/50HZ	220V/50HZ
Net Weight	119kg	120kg	120kg	120kg
Dimension	540x575x1370mm	515x570x1370mm	515x570x1370mm	540x575x1370mm



ICE CREAM MACHINE(Soft Serve)



BQL-825B



BQL-830C



BQL-5350



BQL-650

Product Description:

- 1. With aerated function, and there are pre-cooling function, can not taste raw materials;
- 2. Individual pre-cooling system that allows quick access to pre-cooled raw state;
- 3. The number of ice cream daily output can be displayed;

Technical Parameters

Model	BQL-825B	BQL-830C	BQL-5350	BQL-650
Capacity	25L/H	30-35L/H	40-45L/H	50H/L
Power	2000W	2650W	2850W	2x1700W
Power Supply	220V/50HZ	220V/50HZ	220V/50HZ	220V/50HZ
Net Weight	137kg	147kg	180kg	250kg
Dimension	540x615x1410mm	565x640x1470mm	715x640x1420mm	790x675x1400mm

ICE CREAM MACHINE(Hard)

Spelor
refrigeration equipment



BQL-128Y



BQL-116Y



BQL-112Y

MODEL	BQL-128Y	BQL-116Y	BQL-112Y
Capacity	18L/H	12L/H	12L/H
Power	1600W	1400W	1400W
Power Supply	220V/50HZ	220V/50HZ	220V/50HZ
Net Weight	80kg	65kg	55kg
Dimension	590x535x840mm	525x490x640mm	435x490x550mm



BQL-128HY



BQL-238Y

Model	BQL-238Y	BQL-128HY
Capacity	30L/H	18L/H
Power	2200W	1600W
Power Supply	220V/50HZ	220V/50HZ
Net Weight	256kg	98kg
Dimension	730x750x850mm	590x535x1370mm

ICE MACHINE

Spel®
refrigeration equipment

ZB-50A



Technical Parameters

Voltage/Frequency	220V/50HZ
Power Consumption(W)	300W
Max Daily Production	25KG
Storage Bin Capacity	25KG
Refrigerant	R134a
Condensation method	Air cooling
Dimension(mm)	500x432x810

ZB-50B



Technical Parameters

Voltage/Frequency	220V/50HZ
Power Consumption(W)	300W
Max Daily Production	25KG
Storage Bin Capacity	25KG
Refrigerant	R134a
Condensation method	Air cooling
Dimension(mm)	500x432x810

ZB-300~ZB2000



Technical Parameters

Voltage/Frequency	220V/50HZ
Power Consumption(W)	750W
Max Daily Production	150~1000KG
Storage Bin Capacity	100KG
Refrigerant	R22
Condensation method	Air cooling
Dimension(mm)	585x850x1632



ICE MACHINE

ZB-150A



Technical Parameters

Voltage/Frequency	220V/50HZ
Power Consumption(W)	600W
Max Daily Production	70KG
Storage Bin Capacity	40KG
Refrigerant	R134a
Condensation method	Air cooling
Dimension(mm)	500x577x855

ZB-150B



Technical Parameters

Voltage/Frequency	220V/50HZ
Power Consumption(W)	600W
Max Daily Production	70KG
Storage Bin Capacity	40KG
Refrigerant	R134a
Condensation method	Air cooling
Dimension(mm)	500x577x855

SB-12



Technical Parameters

Capacity	11kg/day
Power	140w
Power Supply	220v/50hz
Net Weight	12kg
Dimension	280x370x340mm

FRIED ICE CREAM ROLL MACHINE





FRIED ICE CREAM ROLL MACHINE



CB-400F+4XY

Power Supply	220V/50Hz
Power	1300W
Refrigerant	R22/R404A
The Range Of Temperature	-17℃ TO -20℃
Net Weight	50KG
Dimensiont	680 × 520 × 730mm



CB-530F

Power Supply	220V/50Hz
Power	1500W
Refrigerant	R22/R404A
The Range Of Temperature	-17℃ TO -20℃
Net Weight	58KG
Dimensiont	680 × 680 × 810mm



CB-530F+5XF

Power Supply	220V/50Hz
Power	1500W
Refrigerant	R22/R404A
The Range Of Temperature	-17℃ TO -20℃
Net Weight	70KG
Dimensiont	680 × 740 × 830mm



2CB-340F+5XY

Power Supply	220V/50Hz
Power	1500W
Refrigerant	R22/R404A
The Range Of Temperature	-17℃ TO -20℃
Net Weight	70KG
Dimensiont	680 × 740 × 830

FRIED ICE CREAM ROLL MACHINE



CB-550Y

Power Supply	220V/50Hz
Power	1500W
Refrigerant	R22/R404A
The Range Of Temperature	-17℃ TO -20℃
Net Weight	58KG
Dimensiont	680x680x810mm



2CB-500Y

Power Supply	220V/50Hz
Power	2800W
Refrigerant	R22/R404A/R290
The Range Of Temperature	-25℃ TO -30℃
Net Weight	74KG
Dimensiont	1350x680x800mm



CB550Y+6F

Power Supply	220V/50Hz
Power	1400W
Refrigerant	R22/R404A/R290
The Range Of Temperature	-25℃ TO -30℃
Net Weight	68KG
Dimensiont	1350x680x800mm



2CB-500Y+10F

Power Supply	220V/50Hz
Power	2800W
Refrigerant	R22/R404A/R290
The Range Of Temperature	-25℃ TO -30℃
Net Weight	135KG
Dimensiont	1800x680x800mm



X-150



X-300



X-450

Model	X-150	X-300	X-450
Capacity	12L	2x12L	3x2L
Voltage/Frequency	220V/50Hz,110V/60Hz	220V/50Hz,110V/60Hz	220V/50Hz,110V/60Hz
Rated output	500W	1000W	1300W
Working temperature	(-1.1) – (-2.0) °C	(-1.1) – (-2.0) °C	(-1.1) – (-2.0) °C
Compressor Model	WQ12HF	NEK2168G	T2180GK
Gas	R134a/180g	R404a/350g	R404a/450g
Net weight(kg)	31KG	41KG	60KG
Dimension(mm)	240x530x800	430x530x800	620x530x800



X-120



X-240



X-360

Model	X-120	X-240	X-360
Capacity	12L	2x12L	3x2L
Voltage/Frequency	220V/50Hz,110V/60Hz	220V/50Hz,110V/60Hz	220V/50Hz,110V/60Hz
Rated output	500W	1000W	1300W
Working temperature	(-1.1) – (-2.0) °C	(-1.1) – (-2.0) °C	(-1.1) – (-2.0) °C
Compressor Model	WQ12HF	NEK2168G	T2180GK
Gas	R134a/180g	R404a/350g	R404a/450g
Net weight(kg)	31KG	41KG	60KG
Dimension(mm)	240x530x800	430x530x800	620x530x800



**Hot Chocolate Machine:
HC-10**

Capacity	10L
Voltage/frequency	220V/50Hz
Input Power	600w
Net Weight	8 kg
Machine Size	420x320x600mm
Temperature Range	30-90 °C



**Ice Crusher
JA168**

Rated Output	2kg/h
Power Supply	220V/50Hz
Input Power	180W
Net Weight	18kg
Machine Size	375x260x435mm




**Multi Function Baked
Sweet Potato Machine
SBL-68**

Voltage/Frequency	220V/50Hz
Input power	2000w
Net weight	49KG
Machine size	620x500x680mm



**Multi Function Baked
Sweet Potato Machine
SBL-128**

Voltage/Frequency	220V/50Hz
Input power	3200w
Net weight	92KG
Machine size	750x470x1280mm



Big Water Receiver - Plastic
Small Water Receiver - Plastic



Plastic Water Receiver



Stainless Steel Water Receiver



Screw Stainless Steel Screw



A
Distributor With Metal Handle



B



A B
Distributor With Plastic Handle



Panel: C - Touch Screen



Panel A



Panel B



Air Pump



Cone Holder



A

B

C

D

E

F

Multiple Models Are Complimentary



Plastic Beater



Stainless Steel Beater



Hitachi Compressor



Tecumseh Compressor



Embraco Compressor